
Index

- χ^2 , *see* Chi square
- 2D-DIGE, *see* two-dimensional difference in-gel electrophoresis
- 2D-PAGE, *see* two-dimensional polyacrylamide gel electrophoresis
- accuracy, 24
 - balanced, 24, 194
- adjacency matrix, 206–207
- affycomp, 64
- Affymetrix, 5, 52–53, 64
- Agilent, 53–55
- amplicon, 3
- ANOVA, *see* one-way analysis of variance
- arabadopsis, 47
- ARD, *see* automatic relevance determination
- area under the curve, 152, 169
- ArrayAssist, 62
- assortative mixing, 210, 220
- assortativeness, 211
- AUC, *see* area under the curve
- automatic relevance determination, 156
- BACC, *see* accuracy, balanced
- background correction, 55
- backward elimination, 17, 155
- bagging, *see* bootstrap aggregation
- baseline subtraction, 82
- beam search, 155
- betweenness
 - centrality, 208
 - distribution, 210
- bias, 22
 - experimenter, 14
 - selection, 27, 177, 196
- bias-variance trade-off, 23
- biclustering, 124, 131, 135
- Bioconductor, 62, 74, 98, 104, 112, 120
- blocking, 43, 47
 - complete block design, 43
- blotting
 - Northern, 4
 - Southern, 4
 - Western, 5
- Bonferroni, 20, 134, 154, 232
- bootstrap, 28, 179
 - .632 bootstrap, 28, 179
 - .632+ bootstrap, 180, 184
- aggregation, 238
- BRB-ArrayTools, 184
- CAAT, 138
- caBig, 98
- calibrant, 84, 119
- calibration, 81, 82
- capacity control, 23
- CART, *see* classification and regression trees
- centroid, 193
- Chi square, 152, 169
- Ciphergen, 84, 93, 161
- ClaNC, 197
- class comparison, 41, 124
- class discovery, 40, 124
- class prediction, 124

- classification, 10
- classification and regression trees, 155, 166
- classifier
 - linear maximal margin, 189
 - non-linear, 188
- CLENCH, 134
- cluster analysis, 40
- clustering, 10, 124, 156, 158
 - average, 209
 - biclustering, 131
 - coefficient, 207
 - distribution, 210
 - fuzzy, 137
 - hierarchical, 46, 126, 128
 - average linkage, 129
 - complete linkage, 129
 - single linkage, 129
 - k-means, 126, 129, 158
 - model-based, 130
 - probabilistic, 158
 - self-organizing maps, 130
 - self-organizing tree algorithm, 130
 - soft, 158
- confidence interval, 24
- confounding, 40, 47
- connectedness, 131
- connectivity, *see* node, degree
- correlation
 - filtering, 154
 - jackknifed correlation coefficient, 127
 - Pearson, 117, 126
 - profile, 210
 - Spearman rank, 127
- covariate, 7
- cross-hybridization, 53
- cross-validation, 27, 191
 - 10-fold, 184
 - 5x2CV, 30
 - external, 27, 181
 - internal, 27, 181
 - k-fold, 28, 178
 - leave-k-out, 28
 - leave-one-out, 28, 177, 184
- curse of dimensionality, 2
- Cy3, 52
- Cy5, 52
- D/S/A algorithm, 230
- data mining, 2, 8
- data re-scaling, 15
- data transformation, 14
- Daubechies wavelet, 87
- DAVID, 134
- dChip MBEI, 63
- DDWT, *see* decimated discrete wavelet transform
- decimated discrete wavelet transform, 86
- deconvolution, 92
- dendrogram, 10, 104
- detector, 5
- differential display, 4
- discrete wavelet transform, 86
- discriminant analysis, 41
- distance metric, 135, 157
 - City Block, *see* distance metric, Manhattan
 - correlation, 157
 - Cosine, 157
 - Euclidean, 105, 126, 157
 - standardized, 157
 - Hamming, 157
 - Jaccard, 157
 - Mahalanobis, 137, 157
 - Manhattan, 112, 157
 - Minkowski, 157
- Dunn-like indices, 131
- dye-swap, 45, 47
- EAM, *see* energy absorbing matrix
- eGOn, 134
- eigengene, 16
- electrophoresis, 4
- electrospray ionization, 5
- embedded methods, 150, 155, 160
- energy absorbing matrix, 79
- entity recognition, 254
- ER graph, *see* graph, Erdős-Rényi
- error
 - of prediction, 25
 - rate, 24
 - family-wise, 20
 - comparison-wise, 20
 - observed, 24–25, 181, 183
 - true, 24–25, 181
 - resubstitution estimate, 174
 - selection, 177

- split-sample estimate, 175
 - Type I, 18, 258
 - Type II, 19, 258
- ESI, *see* electrospray ionization
- EST, *see* expressed sequence tag
- ETA, *see* experimental treatment assignment
- experimental treatment assignment
 - assumption, 235
- expressed sequence tag, 5

- F-measure, 258
- false discovery rate, 20, 97, 134, 154, 233
- false positive rate, 20
- FatiGO, 134
- FatiGOplus, 138
- FDR, *see* false discovery rate
- feature, 7, 149
 - construction, 151
 - selection, 149–169, 190
 - recursive feature elimination, 190
- filter, 150, 160, 169, 190
- fingerprint, 7
- Fisher score, 151, 152, 169
- Fisher-like score, 18
- FLD, *see* linear discriminant, Fisher
- forward selection, 16, 155
- FPR, *see* false positive rate
- FWER, *see* error rate, family-wise

- Gaussian mixture, 158
- GCRMA, 63
- Gene Expression Omnibus, 53, 65, 69
- Gene Ontology, 261
- GeneChip, 5, 52
- GenePix, 55, 60, 69
- GeneSifter, 62
- GeneSpring, 62
- genetic algorithm, 150, 155
- genomics, 1
 - functional, 2
- GEO, *see* Gene Expression Omnibus
- GO, *see* Gene Ontology
- GoMiner, 134
- goodness-of-fit, 30, 111
- GOSTat, 134
- Gosurfer, 134
- GOTM, 134

- GOToolBox, 134
- graph, 203, 206
 - directed, 205
 - Erdős-Rényi, 204, 207
 - k-scaffold, 211
 - random, 209
 - random modular graph, 204
 - scale-free, 204, 209
 - undirected, 206
 - weighted, 206
- Graphviz, 219

- heatmap, 104
- Hidden Markov model, 125
- high-throughput, 2
- hill climbing, 150, 155
- hyperplane, 200
 - maximal margin, 188
- hyperplanes, 188

- ICA, *see* independent component analysis
- IE, *see* information extraction
- iHOP, 252, 254, 260
- Image, 55
- Incogen, 99
- independent component analysis, 16, 159
- inference, 43
- information
 - extraction, 254, 268
 - retrieval, 253, 267
- interquartile range, 59
- inverse-probability-of-treatment-weighted transformation, 231
- ion source, 5
- IPTW, *see* inverse-probability-of-treatment-weighted transformation
- IQR, *see* interquartile range
- IR, *see* information retrieval
- iterative signature algorithm, 131

- J5-score, 152, 169
- jackknife, 178

- k-nearest neighbor, 26
- k-NN, *see* k-nearest neighbor
- Karhunen-Loève transform, *see* principal component analysis

- kernel function, 189, *200*
- L1-metric, *see* distance metric, Manhattan
- L2-metric, *see* distance metric, Euclidean
- Lagrangian, 199
- latent vectors, 16
- learning
 - supervised, 40–41
 - unsupervised, 9, 40
- learning by rote, 24
- LIBSVM, 197
- lift, 24
- linear discriminant
 - Fisher, 159
- loess, 60, 245
 - print-tip, 61
- LOOCV, *see* cross-validation, leave-one-out28
- m/z*, *see* mass-to-charge ratio
- MA-plot, 60–61, *76*
- MAC, *see* maximum allowed absolute correlation
- MALDI, *see* matrix-assisted laser desorption/ionization
- margin, 198
- Markov blanket filtering, 17
- MAS 5.0, 64
- mass analyzer, 5
- mass spectrometry, 5, 79–99, 180
- mass-to-charge ratio, 5, *80*
- MATLAB, 98
- matrix-assisted laser desorption and ionization, *79*
- matrix-assisted laser desorption/ionization, 5
- maximum allowed absolute correlation, 164
- MDS, *see* multidimensional scaling
- Medical Subject Headings, 252
- Medline, 255
- MeSH, *see* Medical Subject Headings
- microarray, 5, 39, 51–76
 - cDNA, 53, 55
 - single-channel, 52
 - spotted cDNA array, 5
 - two-channel, 52, 59
- microarray sample pool, 64
- mismatch, 54
- missing value handling, 13
- MM, *see* mismatch
- model, 6
 - assessment, 173, 191
 - construction, 182
 - selection, 173, *181*, 182
- modifications
 - posttranslational, 1, 5
- modularity, 203
- Monte Carlo cross-validation, *see* sampling, repeated random subsampling
- Monte Carlo permutation, 21
- MS, *see* mass spectrometry
- MSP, *see* microarray sample pool
- MUDWT, 96, 97
- multi-array probe-level model, 57
- multidimensional scaling, 12, *105*, 159
- multiple hypotheses testing, 19
- mutual information, 152, 169
- mzXML, 99
- natural language processing, 255
- negative predictive value, 24
- neighborhood divergence, 259
- network, 203
 - cellular, 204
 - hierarchical, 210
 - ii, 206
 - motif, 211
- NLP, *see* natural language processing
- No Free Lunch theorem, 10
- node, 207
 - average degree, 208
 - degree, 207
 - indegree, 207
 - outdegree, 207
- normalization, 51, 56
 - between-slide, 61
 - loess, 61
 - of mass spectra, 82
 - print-tip loess, 61, *76*
 - quantile, 57, 61, 63, *75*
 - variance stabilization, 64
 - within-slide, 61
- NPV, *see* negative predictive value
- nuisance parameter, 229

- NUSE, *see* standard error, normalized
unscaled
- Occam's razor, 10
- one-versus-all, 18
- one-way analysis of variance, 18
- Onto-Express, 134
- overfitting, 23–25, 150
- Pajek, 219
- partial least squares, 16, 159
- path, 209
average length, 209
- PCA, *see* principal component analysis
- PCR, *see* polymerase chain reaction
- peak
detection, 82
matching, 82
quantification, 82
- peptide/protein chips, 6
- perceptual mapping, *see* multidimensional scaling
- perfect match, 53
- phage display, 6
- phase
application, 22
learning, 22
test, 22
training, 22
validation, 22
- PLIER, 64
- PLM, *see* multi-array probe-level model
- PLS, *see* partial least squares
- PM, *see* perfect match
- polymerase chain reaction, 3
- polysemy, 256
- population, 42
- positive predictive value, 24
- PPV, *see* positive predictive value
- pre-processing, 13
- precision, 258
- predictor, 7
- prevalence, 24, 97
- principal component analysis, 12, 15, 108, 159
- probe, 6
- probe set, 53
spike-in probe set, 58
- probes, 53
- PROcess, 98, 114
- profile, 7
array, 7
gene expression, 7
protein expression, 7
- projection pursuit, 113
- ProteinChip, 89, 93, 114
- proteomics, 1
- PubMed, 252
- qRT-PCR, 3, *see* quantitative real-time reverse transcriptase PCR
- QT-Clust, 136
- quantitative real-time reverse transcriptase PCR, 3
- randomization, 46
- recall, 258
- receiver operating characteristic, 169
- reference design, 45
- reference RNA, 45
- regression, 10
least angle, 121
regularized logistic, 166
- regularization, 155
- relative log expression, 59, 76
- replicate
biological, 43
technical, 43
- replication, 42
- reverse transcriptase, 3
- ribonuclease, 3
- ribonuclease protection assay, 3
- RLE, *see* relative log expression
- RLR, *see* regression, regularized logistic
- RMA, *see* robust multi-chip analysis
- robust multi-chip analysis, 56–57, 62, 74
- ROC, *see* receiver operating characteristic
- RPA, *see* ribonuclease protection assay
- RProteomics, 98
- S+ArrayAnalyzer, 62
- S2N, *see* signal-to-noise
- SAGE, *see* serial analysis of gene expression
- SAM, *see* significance analysis of microarrays

- SAM scoring criterion, 152, 169
- SAMBA, 131
- Sammon mapping, 111
- sample, 1, 42
- sampling, 173–185, 196
 - bootstrapping, *see* bootstrap
 - k-fold random subsampling, 28
 - random subsampling, 27
 - repeated random subsampling, 178
 - single hold-out method, 27
 - split-sample, 175
 - two-fold nested resampling, 181
- Savitzky-Golay, 90
- scale-freeness, 203
- scaling
 - metric, 107
 - nonmetric, 109
- ScanAlyze, 55
- segmentation, 55
- SELDI-TOF, *see* surface-enhanced laser desorption/ionization time-of-flight
- self-organizing maps, 113, 126, 130
- self-organizing tree algorithm, 126, 128, 130
- sensitivity, 24, 97
- serial analysis of gene expression, 4
- set
 - learning, 25, 176
 - test, 25, 176
 - training, 191
 - validation, 25, 181, 191
- shrunken centroid classifier, 181
- signal-to-noise, 18, 59, 82, 90, 190
- significance analysis of microarrays, 154
- silhouette coefficient, 131
- simulated annealing, 150, 155
- singular value decomposition, 15
- Sizer plot, 88
- small- n -large- p problem, 2
- small-world pattern, 203, 209
- SOMs, *see* self-organizing map
- SOTA, *see* self-organizing tree algorithm
- specificity, 24
- spectrum, 7
- Spot, 55
- SSH, *see* suppression subtractive hybridization
- standard error
 - normalized unscaled, 58, 75
- stress
 - function, 106
 - squared, 109
 - weighted, 108
- study
 - experimental, 40
 - observational, 40
- subtractive hybridization, 4
- SUDWT, 96–97
- summarization, 53
- support vector machine, 11, 156, 187–200
- suppression subtractive hybridization, 4
- surface-enhanced laser desorption/ionization time-of-flight, 6, 79, 104, 161, 194
- SVD, *see* singular value decomposition
- SVM, *see* support vector machine
- SVMlight, 197
- SW pattern, *see* small-world pattern
- synonymy, 256
- t-statistic, 17, 169
- tag, 4
- target, 6
- test
 - Anderson-Darling, 11
 - ANOVA, 18
 - Bartlett, 17
 - Benjamini and Hochberg, 21, 233
 - Brown and Forsythe, 19
 - Cochran, 19
 - Duncan, 19
 - Dunnnett, 19
 - F-test, 18
 - Hochberg, 21
 - Holm, 20, 134
 - Kruskal-Wallis, 19
 - Levene, 17
 - McNemar, 30
 - post-hoc, 19
 - random permutation, 21, 152, 153, 183
 - Storey and Tibshirani, 21
 - Student, 19
 - t-test, 17, 152, 169
 - Tukey, 19
 - variance-corrected resampled, 30–31

- Welch, 19
- Wilcoxon rank-sum, 152
- testing, 25, 182
- text mining, 32, 251–270
 - full text mining, 257
- TIC, *see* total ion current
- time resolution, 79
- time series analysis, 227–247
- time-of-flight, 5, 79
- TOF, *see* time-of-flight
- topological overlap analysis, 211
- total ion current, 89
- training, 25, 182
- transcriptomics, 2
- truly alternative, 20
- truly null, 20
- two-dimensional difference in-gel electrophoresis, 5
- two-dimensional polyacrylamide gel electrophoresis, 5
- UCSF Spot, 55
- UDWT, *see* undecimated discrete wavelet transform
- undecimated discrete wavelet transform, 83
- validating, 25
- validation, 182
- variance, 22
- VSN, *see* normalization, variance stabilization
- Welch-Satterthwaite, 17
- Wolfe dual, 199
- wrapper, 150, 155, 160, 190
- yeast two-hybrid, 6
- z-score transformation, 15

